

SUPPLEMENT TO

The Gazette of India



No. 13]

NEW DELHI, SATURDAY, JUNE 24, 1950

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 27th May, 1950.

CHOLERA							SMALLPOX							PLAGUE													
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.									
STATES PART (A) & PART (C)														Bihar													
Ajmer (Urban)														Patna . . .													
Total . . .														Gaya . . .													
(Estd. mid-year pop. 140 thousands)														Shahabad . . .													
Total for w/e 20-5-50 . . .														Saran . . .													
Total for w/e 13-5-50 . . .														Champanan . . .													
7-yearly mean for the week . . .														Muzaffarpur . . .													
Assam														Darbhanga . . .													
Cachar . . .														Monghyr . . .													
Khasi & Jaintia Hills . . .														Bhagalpur . . .													
Naga Hills . . .														Baharra . . .													
Goalpara . . .														Purnea . . .													
Kamrup . . .														Santal Parganas . . .													
Darrang . . .														Hasaribagh . . .													
Nowgong . . .														Ranchi . . .													
Sibsagar . . .														Manbhum . . .													
Lakhimpur . . .														Palamau . . .													
Sadiya & Frontier Tracts . . .														Singhbhum . . .													
Garo Hills . . .														Total . . .													
Total . . .														(Estd. mid-year pop. 37,690 thousands)													
(Estd. mid-year pop. 7,611 thousands)														Total for w/e 20-5-50 . . .													
Total for w/e 20-5-50 . . .														Total for w/e 13-5-50 . . .													
Total for w/e 13-5-50 . . .														7-yearly mean for the week . . .													
7-yearly mean for the week . . .														Bombay													
Bhopal														Bombay . . .													
Total . . .														Ahmedabad . . .													
(Estd. mid-year pop. 831 thousands)														Kaira . . .													
Total for w/e 20-5-50 . . .														Broach . . .													
Total for w/e 13-5-50 . . .														Panch Mahals . . .													
7-yearly mean for the week . . .														Surat . . .													
Bhopal														Thana . . .													
Total . . .														Bombay Suburbans													
(Estd. mid-year pop. 831 thousands)														Ahmednagar . . .													
Total for w/e 20-5-50 . . .														East Khandesh . . .													
Total for w/e 13-5-50 . . .														West Khandesh . . .													
7-yearly mean for the week . . .														Amreli . . .													
Bhopal														Nasik . . .													
Total . . .														Poona . . .													
(Estd. mid-year pop. 831 thousands)														Satara North . . .													
Total for w/e 20-5-50 . . .														Satara South . . .													
Total for w/e 13-5-50 . . .														Total . . .													
7-yearly mean for the week . . .														Total . . .													

Explanation of symbols used :—C=Cases ; D=Deaths

ported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 27th May, 1950—*contd.*

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Orissa						Uttar Pradesh—contd.					
Bhadrak	31	16	65	11	...	Shahjahanpur	2	1	..
Balasore	32	18	15	2	...	Pilibhit
Balpur	18	1	...	Farrukhabad
Balpur	19	3	...	Etawah	6	3	..
Balpur	1	1	12	7	...	Kanpur	6	2	25	12	..
Balpur	65	14	...	Fatehpur	10	2	44	..	3
Balpur	Allahabad	7	1	..
Balpur	18	6	...	Jhansi	12	2	..
Balpur	25	10	24	1	...	Jalaun	7	1	..
Balpur	9	Hamirpur	8	4	22	6	..
Balpur	Banda	4	3	13	4	..
Balpur	5	Banaras	9	1	1	2	..
Balpur	182	23	...	Mirzapur	6
Balpur	Jaunpur	19	11	19
Balpur	Ghazipur	10	1	57	13	..
Balpur	164	47	...	Ballia	5	4	1
Total	92	54	596	115	...	Gorakhpur	17	13
(Estd. mid-year pop. 7,697 thousands)						Deoria	18	9	7	1	..
Total for w/e 20-5-50	43	35	537	87	...	Basti	5	2	17	5	5
Total for w/e 13-5-50	111	77	416	59	...	Azamgarh	2	2	2	1	..
3-yearly mean for the week	116	68	172	26	...	Nainital	9	1	..
Punjab (I)						Almora	3
Hissar	3	2	...	Gargwal	11	10	12	4	..
Rohtak	3	3	2	4	...	Lucknow	16	7	..
Burgala	Unao	9	7	..
Karnal	2	3	3	Rae Bareilly
Amritsar	1	Shimla	3	..	1
Himla	Hardoi	47	4	..
Langra	3	Kheri	4	1	8	1	..
Joshipur	Fyzabad	12	1	36	8	..
Budua	4	1	...	Gonda	7	2	3	1	..
Chiana	2	2	...	Bahraich
...	8	3	...	Sultanpur	6	1	..
...	6	1	...	Parbhagpur	15	5
...	Bara Banki	3	2	18	3	..
Total	5	6	37	13	...	Rampur	4
(Estd. mid-year pop. 14,690 thousands)						Total	174	77	482	109	9
Total for w/e 20-5-50	35	16	69	26	...	(Estd. mid-year pop. 50,132 thousands)					
Total for w/e 13-5-50	26	13	35	20	..	Total for w/e 20-5-50	192	94	529	167	14
3-yearly mean for the week	2	1	35	14	1	Total for w/e 13-5-50	128	67	518	164	69
Uttar Pradesh						3-yearly mean for the week	971	516	282	71	41
Dehra Dun	6	West Bengal					
Baharanpur	25	9	...	Burdwan	130	65	104	33	...
Muzaffarnagar	Birbhum	14	12	37	8	...
Meerut	1	Bankura	22	16	48	9	...
Bulandshahr	1	1	..	Midnapur	45	23	40	8	...
Aligarh	Hooghly	40	17	54	25	...
Mathura	7	3	..	Howrah	69	49	93	24	...
Agra	2	2	2	24-Parganas	62	33	62	20	...
Mainpuri	2	Calcutta	308	169	166	144	1
Etah	2	Nadia	23	11	31	20	...
Bareilly	2	Murshidabad	64	45	64	28	...
Bijnor	1	1	..	Malda	44	10	20	2	...
Budaun	4	1	..	West Dinajpur	180	191	5	3	...
Moradabad	1	..	13	4	..						

Explanation of symbols used: C.—Cases; D.—Deaths.

Reported attacks and deaths from cholera, smallpox plague and typhus in districts in India during the week ending the 27th May, 1950

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.		
West Bengal—contd.							Rajasthan						
Jalpaiguri	8	4	2	Bikaner	..	1	24	6
Darjeeling	2	Former Matsya	45
Cooch Behar	26	16	2	3	Former Rajasthan	44	4
Total	985	585	730	320	1	1	Jodhpur	3	3
(Estd. mid-year pop. 22,669 thousands)							TOTAL	44	5	27	54
Total for w/e 30.5.50	1,245	728	820	457	1	1	Saurashtra						
Total for w/e 13.5.50	1,496	842	811	430	Return not received.						
7-yearly mean for the week	308	153	241	104	Travancore-Cochin						
Grand total for States Parts A and C	3,001	1,550	3,800	948	15	11	Vindhya Pradesh						
(Estd. mid-year pop. 249,608 thousands)							Sidhi	16	5
Total for w/e 20.5.50	3,309	1,683	4,658	1,228	18	4	Panna	3	1
Total for w/e 13.5.50	3,311	1,884	4,396	1,133	165	55	Rewa	2	1
7-yearly mean for the week	4,530	2,494	2,010	474	65	38	TOTAL	21	7
STATES PART (B)							Grand total for States Part (B)	231	123	240	120
Hyderabad							Grand total for States Parts (A), (B) & (C)	3,232	1,673	4,040	1,068	15	11
Aurangabad	2	TYPHUS						
Raichur	1	One case of typhus was reported from Amritsar town in Punjab (I) during week ending 22.5.50.						
Warangal	26	19	2	4	ARREAR INFORMATION						
Nalgonda	3	1	11	6	HIMACHAL PRADESH						
Mehbubnagar	124	80	1	(for w/e 29.5.50)						
Hyderabad	4	6	Mandi	1
TOTAL	163	100	20	17	Chamba	2
Jammu and Kashmir							Mahasu	1
Return not received.							TOTAL	4
Madhya Bharat							ORISSA						
Bhilai	56	23	(w/e 20.5.50)						
Dhar	4	Cuttack	2	1	25	3
Gird	2	Balasore	20	27	5	1
Indore	5	1	Puri	12	7	7
Morena	30	3	Sambalpur	14	3
Rajgarh	4	2	Angul
Ratlam	1	Khoudmals	56	2
TOTAL	102	29	Ganjam Plains	43	10
Mysore							Ganjam Agency	5
Bangalore	31	9	Koraput	6	3
Chitaldrug	7	3	Mayurbhanj	202	24
Kolar	9	1	Dhankanal
Mandya	5	4	2	Keonjhar	97	8
Mysore	8	7	1	Bolagiri Patna
Shimoga	2	1	Sundergarh	77	33
TOTAL	13	11	52	14	Kalahandi
Patiala & East Punjab States Union							TOTAL	43	36	537	87
Sangrur	4	1	JAMMU & KASHMIR						
Fatehgarh	5	1	Kathua	1
Patiala	30	3	TOTAL	1
TOTAL	39	5	RAJASTHAN						
							Jaipur	28
							(w/e 6.5.50)
							Jaipur	20	2
							(w/e 13.5.50)

During the w/e 13.5.50 14 cases of typhus were reported from Anantnag district in Jammu and Kashmir State. One case of typhus was reported from Jaipur distt. in Rajasthan State.

Explanation of Symbols used :—C=Class ; D=Deaths.
* Cases not available.

NEW DELHI 3 (INDIA) ;

The 19th June, 1950.

S. P. JAIN,

for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the Small-Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 27th May, 1950.—*contd.*

Town	Mid-1950 Popn-Est. (000)	Deaths from:—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
STATES (Parts A and C)														
Ajmer														
Ajmer	173	81	24.3	..	1	..	17	4	19	..	53	18.5	14	
Beawar	45	13	15.0	..	3	..	11	25	28.9	12	
TOTAL	218	94	22.4	..	4	..	28	4	19	..	80	19.1	26	
Assam														
Return not received.														
Bhopal														
Bhopal	89	47	27.4	..	2	..	4	1	..	†	11	6.4	†	
Bihar														
Return not received.														
Bombay														
Ahmedabad	854	440	38.2	1	1	..	182	3	42	..	322	28.0	116	
Ahmednagar	68	42	33.0	7	1	8	..	24	19.9	5	
Amalner	45	10	11.5	3	..	3	..	7	8.0	2	
Bandra	100	63	32.7	..	3	..	1	5	6	..	37	19.2	17	
Baroda City	188	134	37.0	27	1	4	1	64	17.7	15	
Barshi	42	19	23.8	5	10	12.3	4	
Belgaum	77	41	27.7	3	2	..	21	14.1	1	
Bhusawal	44	29	34.2	3	4	4.7	1	
Bijapur	53	38	34.1	5	1	4	..	13	11.6	5	
Bombay	1,798	955	27.6	..	3	..	6	28	199	1	673	19.5	184	
Borach	76	51	34.8	11	1	8	..	29	19.8	7	
Osambay	38	16	21.8	9	1	4	..	14	10.1	4	
Dharwar	55	28	28.1	1	..	4	..	18	17.0	1	
Dhule	66	35	27.5	5	..	3	..	13	10.2	3	
Gadag Bageri	66	43	33.8	7	..	1	..	23	18.1	8	
Godhra	48	13	14.0	5	..	1	..	9	9.6	2	
Hubli	167	53	25.7	..	1	..	8	..	6	..	25	12.1	..	
Jalgaon	62	20	17.7	8	..	2	..	23	19.2	4	
Kalyan	36	28	40.4	..	1	..	2	7	10.1	..	
Kolhapur	115	90	40.6	3	3	3	..	46	20.8	6	
Kurli	47	24	26.5	3	3	2	1	13	14.2	3	
Malegaon †	38	1	1.3	1	5	6.8	..	
Miraj	68	30	26.8	16	23	20.6	4	
Nandk	59	30	26.4	5	2	7	1	41	39.5	8	
Nasari	46	31	35.0	4	2	8	9.0	2	
Pandharpur	37	25	35.1	..	1	..	4	3	3	..	19	26.7	9	
Parle Andheri	58	55	44.8	4	1	3	1	17	14.6	3	
Patan	43	30	36.2	8	..	3	..	19	22.9	3	
Poona	313	201	33.3	..	1	..	15	2	33	..	138	22.8	44	
Sangli	39	18	24.0	3	..	3	..	15	20.0	2	
Satara	40	21	27.3	4	2	..	1	15	19.5	3	
Sholapur	267	164	32.0	18	2	50	..	98	19.0	25	
Surat	339	113	24.0	..	3	..	34	8	20	1	104	22.0	27	
TOTAL	5,233	2,891	28.7	1	14	..	417	70	424	9	1,897	18.9	518	
Delhi Province														
Delhi City	685	377	28.6	126	13	35	..	206	15.6	49	
New Delhi	121	103	44.3	2	2	3	..	52	22.3	8	
TOTAL	806	480	31.0	128	15	38	..	258	16.6	56	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory diseases ; M.D.—Maternal Deaths ; D.R.—Death rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 27th May, 1950—*contd.*

Deaths from—														
Town	Mid-1950 Popn. Est. (000)	B.	B.R.*	O.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	1 D.	
Madras														
Adoni	35	29	43.1	1	..	5	..	16	23.8	2	
Ambur	30	30	40.0	4	3	..	2	17	22.7	2	
Anakapalle	35	18	26.7	1	1	4	..	14	20.8	3	
Aruppukotai	36	34	49.1	5	4	17	24.6	3	
Bellary	64	16	31.9	1	..	6	..	22	17.9	9	
Cannanore	35	21	31.2	3	..	11	16.3	2	
Chirala †														
Chittoor	33	20	31.5	..	4	..	1	1	2	..	25	39.4	8	
Coimbatore	163	165	52.6	..	1	..	2	15	18	..	80	28.4	30	
Cuddalore	62	57	47.8	2	5	4	..	34	28.5	14	
Cuddappah	34	34	52.0	1	1	4	..	10	15.3	2	
Dindigul†														
Eluru	72	41	29.6	7	2	6	..	30	21.7	3	
Erode	45	47	54.3	4	3	3	..	17	19.7	6	
Guddiyattam	40	52	67.6	..	1	1	3	..	18	23.4	8	
Guntur	101	94	48.4	1	11	1	8	..	42	21.6	9	
Kakinada	84	30	18.6	3	16	9.9	3	
Kancheepuram	83	73	47.0	3	6	10	1	33	28.7	9	
Karaikudi	36	34	49.1	1	1	..	12	17.3	4	
Karur	35	30	44.6	1	..	3	..	15	22.3	6	
Kozhikode	152	150	51.3	10	11	9	1	72	24.6	12	
Kumbakonam	71	63	46.1	3	7	2	32	23.4	3	
Kurnool	53	62	58.7	1	1	4	2	21	19.9	7	
Madras†														
Mangalore	94	152	84.1	4	4	5	..	35	19.4	3	
Masulipatnam	61	74	63.1	1	5	1	3	..	29	24.7	6	
Mathurai	292	285	50.7	19	23	..	18	12	49	5	200	35.6	32	
Mayuram	33	42	24.2	1	..	3	..	16	9.2	2	
Melapalayam	32	12	19.5	5	1	2	..	11	17.9	..	
Nagapattinam	57	13	11.9	3	1	29	26.5	7	
Nellore	66	68	53.6	7	2	2	..	53	41.8	14	
Ooty	35	41	60.9	8	11	1	39	57.9	8	
Palam Cottah	34	54	82.6	2	2	..	29	44.2	12	
Palghat	61	49	44.8	..	1	..	1	2	4	1	26	22.2	5	
Proddatur	33	31	48.0	..	1	..	1	1	4	..	12	18.0	2	
Pudukottai	39	26	34.7	1	1	2	1	16	21.3	3	
Rajahmundry	85	63	38.6	2	3	3	..	55	33.7	10	
Rajapalayam	53	50	49.1	4	6	5	1	29	28.5	6	
Salem	155	130	43.7	..	1	..	4	5	12	4	53	17.8	14	
Srivilliputtur	37	27	37.9	2	1	1	..	19	26.7	4	
Tanjore	70	108	78.0	2	2	3	1	35	26.0	6	
Tellicherry	42	54	66.9	2	1	3	..	16	19.8	1	
Tenali	46	35	39.6	..	4	..	3	1	4	..	22	24.9	7	
Tiruchirappalli	175	134	39.8	2	18	1	69	20.5	11	
Thrunelveli	64	53	27.2	2	2	2	..	24	19.5	3	
Tiruppur	47	55	60.8	1	4	6	..	27	29.9	4	
Tiruvannamalai	39	25	33.3	3	..	3	..	14	18.7	6	
Tuticorin	90	69	39.0	4	1	15	..	47	27.2	9	
Vaniyambadi	39	24	32.0	1	6	..	26	34.7	4	
Vellore	85	85	52.0	..	1	..	6	5	11	..	55	33.7	17	
Vijayavada	110	87	41.2	..	1	..	8	1	2	..	44	20.8	10	
Virudunagar	36	33	47.7	1	4	3	..	20	28.9	6	
Vizagapatnam	82	58	36.8	4	2	7	..	33	20.9	4	
Vizianagram	58	39	35.0	2	3	3	..	22	19.7	4	
TOTAL	3460	3075	46.2	20	38	1	151	137	297	24	1668	25.1	374	
Orissa														
Berhampur	49	50	53.2	5	2	1	1	23	24.5	6	
Cuttack	83	71	44.6	6	2	1	..	43	22.6	10	
Puri	44	23	27.3	..	3	..	5	4	..	1	20	23.7	6	
TOTAL	176	144	42.5	..	3	..	16	8	2	2	88	26.0	22	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total Deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 27th May, 1950—*contd.*

Town	Mid-1950 Popn.-Est. (000)	Deaths from :—											D.R.*	I. D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Punjab (I)														
Ambala	52	23	23.1	16	3	9	..	31	31.1	13	
Amritsar	508	162	16.6	..	1	..	41	10	26	1	132	13.5	14	
Batala	55	19	18.0	18	1	2	..	25	23.7	6	
Bhiwani	51	33	33.7	..	1	..	16	1	6	..	30	30.7	9	
Fazilka	37	11	15.5	..	1	5	..	9	12.7	4	
Ferozepore	48	16	17.4	2	..	4	4.3	..	
Hissar	32	16	26.1	..	1	..	14	..	1	..	18	29.3	5	
Hoshiarpur	43	23	27.9	13	1	15	18.2	4	
Jullundur	145	51	18.3	19	1	12	..	36	12.9	12	
Jarnal	48	14	15.2	4	1	4	..	14	15.2	2	
Ludhiana	152	67	23.0	14	3	8	..	39	13.4	9	
Moga	37	15	21.1	4	7	9.9	3	
Panipat†														
Rewari	35	13	19.4	10	13	19.4	4	
Rohtak	60	42	36.5	14	..	1	..	17	14.8	2	
TOTAL	1,303	505	20.1	—	4	—	183	21	76	1	390	15.6	87	
Uttar Pradesh														
Agra	355	162	23.8	..	3	..	4	22	118	1	202	29.6	53	
Allahabad	325	110	17.7	..	1	..	1	2	67	..	105	16.9	14	
Amroha	66	47	37.0	9	7	18	..	44	34.6	16	
Arraich	46	24	27.1	16	1	5	..	27	30.5	5	
Bampur	51	19	19.5	15	..	1	1	26	26.7	8	
Baras	308	147	24.9	1	6	..	133	20	34	5	366	51.7	34	
Beilly	235	20	4.4	..	24	..	32	1	7	..	86	19.1	10	
Badaun	58	27	24.2	34	1	11	..	54	48.3	16	
Bhara Dun	104	73	16.7	..	1	..	5	1	5	2	25	12.6	8	
Bawah	58	39	34.5	..	1	..	40	1	12	..	62	55.6	13	
Bizabad-Ajodhya	58	42	37.5	..	8	..	16	5	1	..	53	47.3	8	
Barrukhabad-Fatehgarh	64	35	28.4	37	5	13	..	67	54.4	12	
Berozabad	55	14	13.2	..	2	..	16	2	2	..	30	28.3	9	
Bhazipur	35	21	31.4	4	..	4	..	11	16.4	1	
Borakhpur	121	46	18.3	15	3	1	..	28	11.2	10	
Bapur	47	40	44.6	24	5	31	34.6	12	
Bardwar-Union	71	19	13.9	..	3	..	48	1	2	..	54	39.6	12	
Bathras	57	37	38.1	72	75	68.4	23	
Baunpur	52	23	23.2	8	..	3	1	19	19.2	6	
Bhanshi	90	63	36.3	..	4	..	59	..	2	..	70	40.4	..	
Banpur	702	227	16.9	..	3	..	77	23	20	3	229	17.0	70	
Bhurja	41	17	21.4	4	..	4	..	22	27.7	10	
Boil-Aligarh	143	24	8.8	14	..	1	..	21	7.7	6	
Bucknow	487	197	21.1	..	7	..	220	23	103	1	454	48.6	102	
Bathura	101	60	31.1	28	2	10	1	50	25.9	13	
B Meerut	160	83	27.0	32	5	26	..	81	26.4	18	
B Mirzapur-Vindhyachal	81	26	16.8	33	2	2	..	45	29.1	13	
B Moradabad	186	103	28.9	3	13	35	..	90	25.2	18	
B Muzaffarnagar	65	15	12.0	..	1	..	7	8	6.4	3	
Bilibhit	53	20	19.7	16	5	6	1	35	34.4	8	
Bapur	103	3	1.5	15	..	5	..	23	11.6	6	
Baranpur	168	100	31.0	105	..	5	..	120	37.2	39	
Babhal	63	57	46.9	..	11	..	29	6	11	..	67	55.3	15	
Bajahanpur	132	43	17.0	..	2	..	58	4	1	..	70	27.6	13	
Bir	37	25	35.0	—	10	..	17	1	1	..	29	40.6	11	
TOTAL	4,780	2,008	21.8	1	87	..	1,248	161	536	16	2,719	29.6	615	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births ; B. R.=Birth rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D. D.=Dysentery ; Diarrhoea ; R. D.=Respiratory diseases ; M. D.=Maternal Deaths ; D. R.=Death rate ; I. D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 27th May, 1950—*contd.*

Town	Mid-1950 Popn-Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	O.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
West Bengal		Return not received.												
States (Part B)		Return not received.												
Jammu and Kashmir State		Return not received.												
Madhya Bharat		Return not received.												
Mysore State														
Bangalore	500	416	43.2	..	6	..	8	27	56	1	258	25.8		
Kolar Gold Field	179	95	27.5	3	7	7	..	37	10.7		
Mysore City	191	101	27.4	5	8	74	20.1		
TOTAL	870	612	36.6	..	6	..	16	42	63	1	369	21.8		
PEPSU														
Malerkotla	86	15	21.6	4	..	1	†	5	7.2		
Patiala	84	31	19.2	28	2	2	†	42	26.0		
TOTAL	120	46	19.9	32	2	3	†	47	20.3		
Rajasthan														
Alwar	60	7	6.1	..	4	..	2	..	3	..	16	13.9		
Bikaner	166	78	24.2	..	2	..	9	1	3	..	33	10.2		
Jaipur†														
Jodhpur	157	25	8.2	..	5	..	10	1	35	11.6		
Udipur†														
TOTAL	383	110	14.9	..	11	..	21	2	6	..	84	11.4		
Saurashtra		Return not received.												
Travancore-Cochin														
Alleppey	68	38	29.1	2	1	10	7.6		
Ernakulam	56	34	31.6	1	2	5	1	59	54.8		
Kottayam	41	31	39.3	4	..	2	1	18	16.5		
Mattanchery	66	57	44.9	3	1	13	10.2		
Nagercoil	60	34	29.5	4	13	11.3		
Quilon	64	63	51.2	2	4	5	..	18	14.6		
Trichur	69	62	46.7	3	..	1	2	16	15.4		
Trivandrum	169	69	22.6	10	21	16	..	89	29.1		
TOTAL	583	388	34.6	29	29	29	4	231	20.8		
ARREAR RETURNS														
Madhya Pradesh		For w/e the 13th May 1950												
Akola	76	54	36.7	10	2	2	3	36	24.5		
Amraoti	76	91	62.1	19	1	8	..	60	40.9		
Bilaspur	43	25	30.1	9	17	20.4		
Burhanpur	63	67	55.1	..	19	..	19	..	1	..	58	47.6		
Chanda†														
Damoh†														
Elahpur	34	23	35.0	7	2	20	30.4		
Hinganghat	33	2	15	23.5		
Jabalpur	174	89	26.6	..	20	1	29	1	9	..	86	25.7		
Khandwa	42	24	29.6	6	14	17.2		
Nagpur	300	94	16.3	..	4	..	96	4	35	..	194	33.7		
Nagpur Civil Station	83	64	39.9	..	4	..	11	2	4	..	50	31.2		
Raipur†														
Sagar†														
Wardha	37	5	6	8.5		
Yeotmal	32	26	42.6	10	..	3	..	20	32.7		
TOTAL	993	557	29.2	..	41	1	223	12	62	3	576	30.2		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth rate ; O.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal deaths ; D.R.—Death rate ; I.D.—Infantile deaths (in total deaths).

cases and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 27th May, 1950—concl'd.

Town	Mid-1950 Popn.Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I. D.
				C.	S.	P.	F.D.	D.R.	D.	M. D.				
ARREAR RETURNS—contd.														
For w/e the 20th May 1950														
Madhya Pradesh														
Akola	76	44	29.9	22	...	3	1	46	31.3	8	
Amraoti	76	53	36.2	16	1	2	...	28	19.1	7	
Bilaspur	43	35	42.2	14	1	1	1	20	24.1	7	
Burhanpur	63	48	39.5	...	16	...	19	2	53	43.6	...	
Chanda	43	65	78.9	12	18	5	...	35	42.5	11	
Damoh†														
Ellichpur	34	14	21.3	12	...	2	...	22	33.5	3	
Hinganghat	33	14	22.0	12	27	42.4	7	
Jabalpur	171	130	38.2	...	31	...	55	2	12	1	133	39.1	6	
Shandwa	42	29	35.8	9	14	17.3	...	
Nagpur	300	118	20.5	...	5	...	206	11	51	...	337	58.5	23	
Nagpur Civil Station	83	61	38.0	...	3	...	23	2	8	...	49	30.5	...	
Raipur †														
Sagar†														
Vardha	37	14	19.9	11	2	16	22.8	1	
Seotmal	32	23	37.6	13	...	3	1	21	34.4	4	
TOTAL	1,036	648	32.5	...	55	...	424	37	87	6	801	40.2	77	
Madhya Pradesh For w/e														
Jabalpur	6-5-50	174	116	34.7	...	15	...	8	13	1	7	74	22.1	9
Nagpur	"	300	114	19.8	...	1	...	61	3	15	3	146	25.3	15
Nagpur C.S.	"	83	45	28.1	7	1	3	...	18	11.2	1
Akola	"	76	76	48.3	...	2	...	22	4	5	2	54	36.7	7
PEPSU														
Maler Kotla	20-5-50	36	13	18.8	1	...	†	1	1.4	†
Rajasthan														
Jaipur	8-5-50	201	19	4.9	69	5	10	...	149	33.5	58
"	13-5-50	201	17	4.3	82	5	8	...	162	41.9	72
Travancore-Cochin For w/e the 13th May 1950														
Alleppey	68	59	45.1	1	...	1	1	8	6.1	...	
Ernakulam	56	37	34.4	1	1	...	7	6.5	1	
Kottayam	41	37	46.9	1	...	1	...	8	10.1	...	
Mittancheri	66	24	18.9	1	...	3	...	19	15.0	4	
Nagarcoil	60	25	21.7	1	1	1	...	10	8.7	4	
Quilon	64	75	60.9	1	1	...	4	3.3	...	
Trichur	69	38	28.6	2	1	2	...	13	9.8	2	
Trivandrum	159	201	65.7	6	7	17	1	63	20.6	10	
TOTAL	583	496	44.2	12	11	27	2	132	11.8	21	
Delhi For w/e the 20th May 1950														
Delhi City	685	372	28.2	156	12	48	...	266	20.2	67	
New Delhi	121	185	79.5	2	...	6	...	87	37.4	17	
TOTAL	806	557	35.9	158	12	54	...	353	22.8	84	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.=Births; B.R.=Birth rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D. D.=Dysentery and Diarrhoea; R.D.=Respiratory diseases; M.D.=Maternal Deaths; D.R.=Death rate; I.D.=Infantile Deaths (included in total Deaths).

REMARKS

The figures of births and deaths shown in this statement for the week ending the 27th May, 1950, relate to 157 towns with an estimated population of 18,021 thousands. The total number of towns is 233 and their population is 28,421 thousands. Thus 67% of the total number of towns representing 64% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 10,400 and 7,842 representing birth and death rates of 30.0 and 22.6 per thousand of population respectively.

(A) States (Parts A & C) :—The data here relate to 140 towns with an estimated population of 16,035 thousands. Information about Assam, Bihar, Madhya Pradesh and West Bengal could not be included. The total number of towns is 201 and their population is 24,668 thousands. Thus 70% of the total number of towns representing 65% of the total population is covered. The numbers of births and deaths recorded in these towns were 92,44 and 7,111 representing birth and death rates of 29.9 and 23.0 per thousand of population respectively. The table at the end gives the position by states.

The towns of Ooty in Madras, Banaras, Etawah, Faizabad-Fatehgarh, Hathras, and Sambhal in Uttar Pradesh recorded high death rates of 57.9; 51.7; 55.6; 54.4; 68 and 55.3; per thousand of population respectively. In Ooty the high death rate was mainly due to respiratory diseases. The high death rates in all other towns were mainly due to deaths from fevers. Death from dysentery and diarrhoea and respiratory diseases in Banaras were considerably high.

(B) States (Part B) :—The data here relate to 17 towns with an estimated population of 19,56 thousands. The number of towns is 32 and their population is 3,753 thousands. Thus 53% of the total number of towns representing 52% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,156 and 1,156 representing birth and death rates of 30.7 and 19.6 thousand of population respectively. Ennakulam in Travancore-Cochin was the only town which had a high death rate of 54.8 per thousand of population and this high death rate was not due to any one of the specified causes.

States	Current w/e 27.5.50		Corresponding w/e last year		Corresponding mean of the previous 5 years	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	22.4	19.1	20.0	21.8	24.9	
Bombay	28.7	18.9	29.2	23.6	27.3	
Delhi	31.0	16.6	28.2	17.3	25.8	
Madras	46.2	25.1	43.8	35.2	37.3	2
Orissa	42.5	26.0	41.2	27.2	33.8	2
Punjab (I)	20.1	15.6	22.9	11.2	20.2	1
Uttar Pradesh	21.8	29.6	23.1	23.2	27.0	2
India (Only States Parts A and C)	29.9	23.0	27.5	20.1	23.1	2

NEW DELHI 3 (INDIA);
The 19th June, 1950.

S. P. JAIN,
for Registrar General, India.

